

BIBLIOGRAFÍA

- (1) Anderson RU. The role of pelvic floor therapies in chronic pelvic pain syndromes. *Current Prostate Reports* 2008;6(3):139-144.
- (2) Anderson RU, Wise D, Sawyer T, Chan C. Integration of myofascial trigger point release and paradoxical relaxation training treatment of chronic pelvic pain in men. *J Urol* 2005;174(1):155-160.
- (3) Armesilla MC, Andrés AC. Revisión de los fundamentos teóricos de la gimnasia abdominal hipopresiva. *Apunts.Medicina de l'Esport* 2014;49(182):59-66.
- (4) Aukee P, Penttinen J, Airaksinen O. The effect of aging on the electromyographic activity of pelvic floor muscles: a comparative study among stress incontinent patients and asymptomatic women. *Maturitas* 2003;44(4):253-257.
- (5) Bajwa A, Emmanuel A. The physiology of continence and evacuation. *Best Practice & Research Clinical Gastroenterology* 2009;23(4):477-485.
- (6) Benjamin D, Van de Water A, Peiris C. Effects of exercise on diastasis of the rectus abdominis muscle in the antenatal and postnatal periods: a systematic review. *Physiotherapy* 2014;100(1):1-8.
- (7) Berman JR, Berman LA, Kanaly KA. Female sexual dysfunction: new perspectives on anatomy, physiology, evaluation and treatment. *EAU Update series* 2003;1(3):166-177.
- (8) Bharucha AE. Difficult defecation: difficult problem assessment and management; what really helps? *Gastroenterol Clin North Am* 2011;40(4):837-844.
- (9) Bø K. Pelvic floor muscle training is effective in treatment of female stress urinary incontinence, but how does it work? *International Urogynecology Journal* 2004;15(2):76-84.
- (10) Bø K, Owe KM, Nystad W. Which women do pelvic floor muscle exercises six months' postpartum? *Obstet Gynecol* 2007;197(1):49. e1-49. e5.
- (11) Bo K, Sherburn M. Evaluation of female pelvic-floor muscle function and strength. *Phys Ther* 2005 Mar;85(3):269-282.
- (12) Boissonnault JS, Blaschak MJ. Incidence of diastasis recti abdominis during the childbearing year. *Phys Ther* 1988;68(7):1082-1086.
- (13) Bordoni B, Zanier E. Skin, fascias, and scars: symptoms and systemic connections. *J Multidiscip Healthc* 2013 Dec 28;7:11-24.
- (14) Borello-France DF, Downey PA, Zyczynski HM, Rause CR. Continence and Quality-of-Life Outcomes 6 Months Following an Intensive Pelvic-Floor Muscle Exercise Program for Female Stress Urinary Incontinence: A Randomized Trial Comparing Low- and High-Frequency Maintenance Exercise. *Phys Ther* 2008;88(12):1545.
- (15) Bozkurt M, Yumru AE, Şahin L. Pelvic floor dysfunction, and effects of pregnancy and mode of delivery on pelvic floor. *Taiwanese Journal of Obstetrics and Gynecology* 2014;53(4):452-458.
- (16) Brækken IH, Majida M, Engh ME, Bø K. Can pelvic floor muscle training reverse pelvic organ prolapse and reduce prolapse symptoms? An assessor-blinded, randomized, controlled trial. *Obstet Gynecol* 2010;203(2):170. e1-170. e7.
- (17) Britnell S, Cole J, Isherwood L, Stan M, Britnell N, Burgi S, et al. Postural health in women: the role of physiotherapy. *Journal of obstetrics and gynaecology Canada* 2005;27(5):493-500.

- (18) Bump RC, Mattiasson A, Bø K, Brubaker LP, DeLancey JO, Klarskov P, et al. The standardization of terminology of female pelvic organ prolapse and pelvic floor dysfunction. *Obstet Gynecol* 1996;175(1):10-17.
- (19) Bustelo SM, Morales AF, Núñez SP, Diz SV, Rodríguez AM. Entrevista clínica y valoración funcional del suelo pélvico. *Fisioterapia* 2004;26(5):266-280.
- (20) Calais Germain B. Anatomía para el movimiento: El Periné femenino y el parto: Elementos de anatomía y Bases de ejercicios. 2012.
- (21) Campignon P. Respir-acciones. Las cadenas musculares y articulares GDS. 2000.
- (22) Carrasco DG, Cantalapiedra JA. Efectividad del entrenamiento de los músculos del suelo pélvico en la incontinencia urinaria: revisión sistemática. *Fisioterapia* 2012;34(2):87-95.
- (23) Castille Y. Rôle de la rééducation dans la prévention de l'incontinence urinaire après prostatectomie radicale totale 2003.
- (24) Caufriez M, Pinsach P, Fernández J. Abdominaux et Périnée. Mithes et Realités, MC Editions, Mallorca 2010.
- (25) Caufriez M, Domínguez JF, Ballester SE, Schulmann C. Estudio del tono de base del tejido músculo-conjuntivo del suelo pélvico en el posparto tras reeducación abdominal clásica. *Fisioterapia* 2007;29(3):133-138.
- (26) Caufriez M. Thérapies Manuelles et instrumentales en Uro-gynécologie. : M. Caufriez; 1989.
- (27) Caufriez M, Domínguez JF, Defossez L, Wary-Thys C. Contribución al estudio de la contractilidad del suelo pélvico. *Fisioterapia* 2008;30(2):69-78.
- (28) Cerdán J, Cerdán C, Jiménez F. Anatomofisiología de la continencia y la defecación. *Cirugía Española* 2005;78:2-7.
- (29) Chaitow L, ND DO RLJ. Chronic Pelvic Pain and Dysfunction: Practical Physical Medicine. : Churchill Livingstone.
- (30) Charlanes A, Chesnel C, Jousse M, Lebreton F, Verollet D, Amarenco G. Best instructions to assess the pelvic floor muscle contraction. *Annals of Physical and Rehabilitation Medicine* 2013 10;56, Supplement 1:e237-e238.
- (31) Chen G. Pelvic floor dysfunction in aging women. *Taiwanese Journal of Obstetrics and Gynecology* 2007;46(4):374-378.
- (32) Chiarello CM, Falzone LA, McCaslin KE, Patel MN, Ulery KR. The effects of an exercise program on diastasis recti abdominis in pregnant women. *Journal of Women's Health Physical Therapy* 2005;29(1):11-16.
- (33) Coldron Y, Stokes MJ, Newham DJ, Cook K. Postpartum characteristics of rectus abdominis on ultrasound imaging. *Man Ther* 2008;13(2):112-121.
- (34) Coldron Y, Stokes MJ, Newham DJ, Cook K. Postpartum characteristics of rectus abdominis on ultrasound imaging. *Man Ther* 2008;13(2):112-121.
- (35) Cunningham FG. Williams: obstetrica (23a. : McGraw Hill Mexico; 2011.
- (36) de León CG, Pérez-Haro M, Jalón-Monzón A, García-Rodríguez J. Actualización en incontinencia urinaria femenina. *SEMERGEN-Medicina de Familia* 2017;43(8):578-584.
- (37) DeLancey JO. The hidden epidemic of pelvic floor dysfunction: achievable goals for improved prevention and treatment. *Obstet Gynecol* 2005;192(5):1488-1495.
- (38) Dietz H, Wilson P. Childbirth and pelvic floor trauma. *Best Practice & Research Clinical Obstetrics & Gynaecology* 2005;19(6):913-924.
- (39) Emanuelsson P, Gunnarsson U, Strigård K, Stark B. Early complications, pain, and quality of life after reconstructive surgery for abdominal rectus muscle diastasis: a 3-

month follow-up. *Journal of plastic, reconstructive & aesthetic surgery* 2014;67(8):1082-1088.

(40) Espuña Pons M, Rebollo Alvarez P, Puig Clota M. Validación de la versión española del International Consultation on Incontinence Questionnaire-Short Form. Un cuestionario para evaluar la incontinencia urinaria= Validation of the Spanish version of the International Consultation on Incontinence Questionnaire-Short Form. A questionnaire for assessing the urinary incontinence. *Medicina clínica* 2004;122(8):288-292.

(41) Fabre-Clergue C. Anatomie simplifiée du périnée féminin. primera ed. Francia: Sauramps medical; 2012.

(42) Fransen P. Prevention of scar tissue formation in spinal surgery: state of the art and review of the literature. *J Neurosurg Sci* 2011 Sep;55(3):277-281.

(43) Gallo M, Díaz López M, Gallo Vallejo J. Efectos del embarazo y parto sobre el suelo pélvico. 1era ed. España: Amolca; 2015.

(44) Gil E, Martínez G, Aldaya C, Rodríguez M. Síndrome de dolor miofascial de la cintura pélvica. *Rev Soc Esp Dolor* 2007;5:358-368.

(45) Grosse D, Sengler J. Reeducción del periné. Fisioterapia en las incontinencias urinarias. Madrid: Masson 2001.

(46) Gurjar SV, Jones OM. Physiology: evacuation, pelvic floor and continence mechanisms. *Surgery (Oxford)* 2011;29(8):358-361.

(47) Feedforward activity of the pelvic floor muscles precedes rapid upper limb movements. VIIIth International Physiotherapy Congress: Australian Physiotherapy Association; 2002.

(48) Hodges PW, Gandevia S. Activation of the human diaphragm during a repetitive postural task. *J Physiol (Lond)* 2000;522(1):165-175.

(49) Hodges PW, McLean L, Hodder J. Insight into the function of the obturator internus muscle in humans: observations with development and validation of an electromyography recording technique. *Journal of Electromyography and Kinesiology* 2014;24(4):489-496.

(50) Hodges PW, Richardson CA. Inefficient muscular stabilization of the lumbar spine associated with low back pain: a motor control evaluation of transversus abdominis. *Spine* 1996;21(22):2640-2650.

(51) Hodges P, Richardson C, Jull G. Evaluation of the relationship between laboratory and clinical tests of transversus abdominis function. *Physiotherapy Research International* 1996;1(1):30-40.

(52) Hodges P, Butler J, McKenzie D, Gandevia S. Contraction of the human diaphragm during rapid postural adjustments. *J Physiol (Lond)* 1997;505(2):539-548.

(53) Hodges P, Sapsford R, Pengel L. Postural and respiratory functions of the pelvic floor muscles. *Neurorol Urodyn* 2007;26(3):362-371.

(54) KAMINA P. Anatomie clinique. Tome 4. Organes urinaires & génitaux, pelvis, coupe du tronc. *Recherche* 2008;67:02.

(55) KAPANDJI L. Cuadernos de fisiología articular. Cuaderno III: Tronco y raquis. Ed. Masson SA 1998.

(56) Kase K, Wallis J, Kase T, Kinesio Taping Association. Clinical therapeutic applications of the Kinesio taping methods. : Kinesio Taping Assoc.; 2003.

- (57) Kerkhof M, Hendriks L, Brölmann H. Changes in connective tissue in patients with pelvic organ prolapse—a review of the current literature. *International Urogynecology Journal* 2009;20(4):461.
- (58) Laycock J, Jerwood D. Pelvic floor muscle assessment: the PERFECT scheme. *Physiotherapy* 2001;87(12):631-642.
- (59) Lee D, Hodges P. Behaviour of the linea alba during a curl-up task in diastasis rectus abdominis: a new interpretation with clinical implications. *Physiotherapy* 2015;101:e580-e581.
- (60) Lee DG, Lee L, McLaughlin L. Stability, continence and breathing: the role of fascia following pregnancy and delivery. *J Bodywork Movement Ther* 2008;12(4):333-348.
- (61) Maglinte DD, Bartram C. Dynamic imaging of posterior compartment pelvic floor dysfunction by evacuation proctography: techniques, indications, results and limitations. *Eur J Radiol* 2007;61(3):454-461.
- (62) MAMBERTI-DIAS—MKP—Marseille-France A. IMPORTANCE OF A PERINEAL SYNERGY IN THE SEXUAL FUNCTION.
- (63) Mannella P, Palla G, Bellini M, Simoncini T. The female pelvic floor through midlife and aging. *Maturitas* 2013;76(3):230-234.
- (64) Marzolf A. Les douleurs liées aux déséquilibres posturaux.
- (65) Massery M, Hagins M, Stafford R, Moerchen VA, Hodges PW. The effect of airway control by glottal structures on postural stability. *American Journal of Physiology-Heart and Circulatory Physiology* 2013.
- (66) Masseur—Kinésithérapeute D. Le bilan musculaire de la sangle.
- (67) Mens JM, Pool-Goudzwaard A. The transverse abdominal muscle is excessively active during active straight leg raising in pregnancy-related posterior pelvic girdle pain: an observational study. *BMC musculoskeletal disorders* 2017;18(1):372.
- (68) Mens J, Hoek van Dijke G, Pool-Goudzwaard A, van der Hulst V, Stam H. Possible harmful effects of high intra-abdominal pressure on the pelvic girdle. *J Biomech* 2006;39(4):627-635.
- (69) Miljkovic N, Lim J, Miljkovic I, Frontera WR. Aging of Skeletal Muscle Fibers. *Annals of rehabilitation medicine* 2015;39(2):155-162.
- (70) Moore KL, Agur AMR, Moore ME. Anatomía con orientación clínica. : Editorial Medica Panamericana Sa de; 2007.
- (71) Mørkved S, Salvesen KÅ, Bø K, Eik-Nes S. Pelvic floor muscle strength and thickness in continent and incontinent nulliparous pregnant women. *International Urogynecology Journal* 2004;15(6):384-390.
- (72) Mørkved S, Bø K, Schei B, Salvesen KÅ. Pelvic floor muscle training during pregnancy to prevent urinary incontinence: a single-blind randomized controlled trial. *Obstetrics & Gynecology* 2003;101(2):313-319.
- (73) Mouritsen L. Classification and evaluation of prolapse. *Best Practice & Research Clinical Obstetrics & Gynaecology* 2005 12;19(6):895-911.
- (74) Myers TW. Vías anatómicas. Meridianos miofasciales para terapeutas manuales y del movimiento. : Elsevier España; 2014.
- (75) Norris C. Functional load abdominal training: part 1. *Physical Therapy in Sport* 2001;2(1):29-39.
- (76) Norris C. Functional load abdominal training: part 2. *Physical Therapy in Sport* 2001;2(3):149-156.

- (77) O'CONNELL HE, Sanjeevan KV, Hutson JM. Anatomy of the clitoris. *J Urol* 2005;174(4):1189-1195.
- (78) Pascoal A, Dionisio S, Cordeiro F, Mota P. Inter-rectus distance in postpartum women can be reduced by isometric contraction of the abdominal muscles: a preliminary case-control study. *Physiotherapy* 2014;100(4):344-348.
- (79) Pastore EA, Katzman WB. Recognizing myofascial pelvic pain in the female patient with chronic pelvic pain. *Journal of Obstetric, Gynecologic, & Neonatal Nursing* 2012;41(5):680-691.
- (80) Pereira LC, Botelho S, Marques J, Amorim CF, Lanza AH, Palma P, et al. Are transversus abdominis/oblique internal and pelvic floor muscles coactivated during pregnancy and postpartum? *Neurourol Urodyn* 2013;32(5):416-419.
- (81) Pilat A. Terapias miofasciales: Inducción miofascial. : McGraw-Hill Interamericana de España; 2003.
- (82) Pool-Goudzwaard A, van Dijke GH, van Gurp M, Mulder P, Snijders C, Stoeckart R. Contribution of pelvic floor muscles to stiffness of the pelvic ring. *Clin Biomech* 2004;19(6):564-571.
- (83) Portero H. Faire ou ne pas faire le stop-pipi? Là est la question. *Kinesithérapie, la revue* 2006;51(6):39-41.
- (84) Pregazzi R, Sartore A, Bortoli P, Grimaldi E, Ricci G, Guaschino S. Immediate postpartum perineal examination as a predictor of puerperal pelvic floor dysfunction. *Obstetrics & Gynecology* 2002;99(4):581.
- (85) Raizada V, Bhargava V, Jung S, Karstens A, Pretorius D, Krysl P, et al. Dynamic assessment of the vaginal high-pressure zone using high-definition manometry, 3-dimensional ultrasound, and magnetic resonance imaging of the pelvic floor muscles. *Obstet Gynecol* 2010.
- (86) Richardson C, Hodges P, Hides J. Therapeutic exercise for lumbopelvic stabilization: a motor control approach for the treatment and prevention of low back pain. : Churchill Livingstone; 2004.
- (87) Romero-Morante M, Jiménez-Reguera B. Actuación del fisioterapeuta durante la gestación, parto y posparto. *Fisioterapia* 2010;32(3):123-130.
- (88) Rouvière H, Delmas A, Delmas V. Anatomía Humana Descriptiva, topográfica y funcional. Tomo 2. Tronco. 1954.
- (89) Sánchez AH, del Amo MB, Alaguero AG, Fernández ME. Epidemiología y etiopatogenia del prolapso genital.
- (90) Sancho M, Pascoal AG, Mota P, Bø K. Abdominal exercises affect inter-rectus distance in postpartum women: a two-dimensional ultrasound study. *Physiotherapy* 2015;101(3):286-291.
- (91) Sapsford RR, Hodges PW. Contraction of the pelvic floor muscles during abdominal maneuvers. *Arch Phys Med Rehabil* 2001;82(8):1081-1088.
- (92) Serra Llosa M, Martínez Bustelo S. Tratamiento fisioterápico de la hipertoniá del suelo pélvico.
- (93) Sherburn M, Murphy C, Carroll S, Allen T, Galea M. Investigation of transabdominal real-time ultrasound to visualise the muscles of the pelvic floor. *Australian Journal of Physiotherapy* 2005;51(3):167.
- (94) Simons DG. Dolor y disfunción miofascial: El manual de los puntos gatillo. Mitad superior del cuerpo. : Ed. Médica Panamericana; 2002.

- (95) Smith MD, Russell A, Hodges PW. Do incontinence, breathing difficulties, and gastrointestinal symptoms increase the risk of future back pain? *The Journal of Pain* 2009;10(8):876-886.
- (96) Spitznagle TM, Leong FC, Van Dillen LR. Prevalence of diastasis recti abdominis in a urogynecological patient population. *International Urogynecology Journal* 2007;18(3):321-328.
- (97) Timoh KN, Bessede T, Zaitouna M, Peschaud F, Chevallier J, Fauconnier A, et al. Anatomie du muscle élévateur de l'anus et applications en gynécologie obstétrique. *Gynécologie Obstétrique & Fertilité* 2015;43(1):84-90.
- (98) Timoh KN, Bessede T, Zaitouna M, Peschaud F, Chevallier J, Fauconnier A, et al. Anatomie du muscle élévateur de l'anus et applications en gynécologie obstétrique. *Gynécologie Obstétrique & Fertilité* 2015;43(1):84-90.
- (99) Urquhart DM, Hodges PW, Story IH. Postural activity of the abdominal muscles varies between regions of these muscles and between body positions. *Gait Posture* 2005;22(4):295-301.
- (100) Vieillefosse S, Thubert T, Billecocq S, Battut A, Deffieux X. Rehabilitación perineal de la mujer. *EMC-Ginecología-Obstetricia* 2017;53(1):1-6.
- (101) Walker C, Sánchez RF, Barrajon JE. *Fisioterapia en obstetricia y uroginecología*. : Masson; 2006.
- (102) Yiou R, Costa P, Haab F, Delmas V. Anatomie fonctionnelle du plancher pelvien. *Progrès en urologie* 2009;19(13):916-925.
- (103)Fede C, Pirri C, Fan C, Albertin G, Porzionato A, Macchi V, et al. Sensitivity of the fasciae to sex hormone levels: Modulation of collagen-I, collagen-III and fibrillin production. *PloS one*. 2019;14(9):e0223195.